

Quality with Integrity

Price List

1

W.e.f

01/04/2020



Office : Shop No. 415, Fourth Floor, Rudra Business Park,
Mahadev Nagar Tekra, Vastral, Ahmedabad - 382418

Mail : shreesteelindustries@yahoo.com **Mo** : 8200131226

SHREE Steel Industries

SS304 A2 HEX SCREW FULL THREAD AS PER IS - 1363 / DIN 933 (METRIC THREAD)																			
DIA	10	12	16	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	100
3	179	197	205	227	260	419	505	628	714	730	-	-	-	-	-	-	-	-	-
4	227	233	253	279	312	375	437	607	652	677	-	-	-	-	-	-	-	-	-
5	308	327	349	391	440	503	588	702	770	821	1052	1084	1164	1240	1337	1413	-	-	-
6	414	424	472	527	593	663	733	799	862	931	1098	1149	1255	1314	1461	1514	1697	1732	1933
8	-	-	963	1059	1168	1327	1429	1549	1724	1823	1984	2070	2257	2323	2433	2647	2808	3014	3285
10	-	-	1839	1928	2128	2303	2494	2697	2920	3147	3359	3566	3838	3950	4246	4378	4711	4806	5150
12	-	-	-	2919	3145	3364	3702	3996	4262	4592	4834	5122	5394	5665	5970	6233	6568	6816	7422
14	-	-	-	-	5448	5767	6197	6540	7011	7409	7944	8205	8820	9149	9586	10049	10935	11487	11826
16	-	-	-	-	6689	6849	7377	7910	8412	8973	9514	10111	10506	10798	11417	12104	12645	13143	14379
18	-	-	-	-	-	-	-	13153	14157	14709	15927	16548	17575	18202	19233	19987	20803	21460	22652
20	-	-	-	-	-	-	-	14173	15236	16008	16632	17520	18548	19614	20363	21330	22161	23059	24730
22	-	-	-	-	-	-	-	-	-	31224	36091	36091	39387	41236	42963	44818	48522	48522	52226
24	-	-	-	-	-	-	-	-	-	28862	32039	32039	33559	35231	36666	38363	41573	41573	44756

SS304 A2 HEX SCREW FULL THREAD AS PER BS - 1083 (BSW THREAD)														
BSW	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	3 1/2"	4"	5"	6"	7"	8"
1/8"	268	289	309	531	661	738	-	-	-	-	-	-	-	-
3/16"	286	330	374	450	586	728	1071	1288	-	-	-	-	-	-
1/4"	547	626	724	821	929	1128	1453	1684	1824	2073	-	-	-	-
5/16"	969	1102	1265	1423	1589	1902	2234	2566	3023	3553	4310	-	-	-
3/8"	1507	1712	1935	2176	2417	2891	3362	3840	4308	4789	6375	7743	-	-
7/16"	-	-	3547	3935	4273	4971	5712	6456	7183	7879	9435	10831	-	-
1/2"	-	-	4079	4525	4914	5716	6569	7424	8261	9061	10851	12456	18420	22200
5/8"	-	-	7582	7727	8352	9720	10884	12841	13468	14691	18314	21100	26157	29587
3/4"	-	-	-	-	15950	17592	19732	21899	24045	26291	34786	39756	-	-
7/8"	-	-	-	-	-	28056	32298	35882	39727	43608	51212	59055	66363	71246
1"	-	-	-	-	-	39442	44327	49161	53931	59901	69450	79667	89902	100126

SS304 A2 LONG LENGTH HEX SCREW (METRIC THREAD) AS PER IS 1363 / DIN 933										
DIA	110	120	125	130	140	150	160	170	180	200
8	3676	3950	4094	4303	4677	4960	-	-	-	-
10	5868	6465	6747	6924	7355	8167	9926	-	-	-
12	8241	8944	9408	9919	10452	11280	12046	-	20053	23995
16	15696	16971	17538	18059	19211	20660	22200	25268	27720	30240
20	27503	29228	30122	31183	33045	35004	36595	39757	44182	-
22	57221	61932	65776	65776	73336	73336	86839	90603	95635	104018
24	48461	52061	55868	55868	62560	62560	66461	73521	73521	81138

SS304 HEX NUT AS PER IS 1363 / DIN 934 (METRIC THREAD) & LOCK NUT IS 1363 / DIN 439																	
DIA	M 2	M 2.5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30
304Q	131	110	79	102	123	208	419	910	1394	2535	2734	6223	5334	9954	9480	21036	34183

SHREE Steel Industries

SS304 HEX NUT AS PER BS 1083 (BSW THREAD)												
BSW	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
304Q	154	165	164	326	460	766	1728	1959	3718	8370	18275	

SS304Q A2 PLAIN WASHER																	
THICK	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24	M27	M30	M33	M36
	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"	9/16"	5/8"	-	3/4"	7/8"	1"	1.1/8"	1.1/4"	1.3/8"	1.1/2"
1.2MM	80	85	90	135	190	275	350	600	675	850	900	-	-	-	-	-	-
1.6MM	-	-	-	200	285	390	570	700	750	900	1150	1350	1800	-	-	-	-
2MM	-	-	-	300	350	500	700	800	900	1200	1300	1500	1950	2400	3200	3500	5400
2.5MM	-	-	-	-	525	675	775	1000	1100	1400	1650	-	-	-	-	-	-
3MM	-	-	-	-	625	825	1000	1200	1300	1800	2000	2250	3800	4000	5000	5400	7000

SS304Q A2 SPRING WASHER AS PER IS 3063 / DIN 127																	
THICK	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24	M27	M30	M33	M36
	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"	9/16"	5/8"	-	3/4"	7/8"	1"	1.1/8"	1.1/4"	1.3/8"	1.1/2"
SQUARE	80	90	100	120	190	225	400	550	700	1150	1400	1850	3000	4250	5750	7480	8100
FLAT	150	150	175	200	300	400	625	900	1300	1800	2200	3400	4850	5520	6900	10580	11385

SS304 A2 ALLEN CAP SCREW (METRIC THREAD) FULL THREAD AS PER DIN 912																		
DIA	6	8	10	12	16	20	25	30	35	40	45	50	60	70	75	80	90	100
3	358	364	368	371	420	460	540	662	-	-	-	-	-	-	-	-	-	-
4	431	423	370	401	456	507	542	651	741	875	991	1199	-	-	-	-	-	-
5	-	-	495	521	581	642	721	827	942	1100	1215	1330	-	-	-	-	-	-
6	-	-	656	674	722	782	886	980	1058	1230	1370	1414	1747	2046	2284	2599	2958	3492
8	-	-	-	1578	1421	1483	1641	1880	2051	2200	2396	2538	3031	3351	3937	4150	4845	5190
10	-	-	-	-	2861	2626	2944	3108	3449	3693	3951	4247	4792	5440	5755	6071	7465	8203
12	-	-	-	-	-	5156	4870	4953	5255	5658	6136	6477	7298	7790	8530	9181	9955	10940
14	-	-	-	-	-	-	9709	9789	10222	10657	11441	12017	13272	14946	16904	17316	19330	21309
16	-	-	-	-	-	-	-	11476	10597	11599	12564	12999	14533	16147	17147	17904	19662	21499
20	-	-	-	-	-	-	-	-	-	22213	23070	24371	27120	29705	31271	32591	35222	38302

SS304 A2 ALLEN CAP SCREW (BSW THREAD) FULL THREAD AS PER BS 2470										
DIA	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"
3/16"	725	739	797	886	1029	-	-	-	-	-
1/4"	957	1033	1143	1288	1481	1797	2276	2899	3546	3994
5/16"	1631	1712	1782	2079	2278	2687	3477	4123	-	-
3/8"	-	2518	2643	2971	3365	4098	4953	5942	6769	7361
1/2"	-	-	-	6642	7295	8198	9528	10677	12932	14998
5/8"	-	-	-	-	13027	14975	17800	21032	24568	26220

SHREE Steel Industries

SS304 A2 ALLEN CAP SCREW (METRIC THREAD)						
DIA	110	120	125	130	140	150
8	6545	7568	8517	9265	-	-
10	10778	11676	12405	13039	-	16831
12	12858	14545	15502	15708	16779	17372
16	30160	32648	34271	-	-	40258
20	62746	-	-	-	-	-

SS304 A2 ALLEN CSK SCREW (METRIC THREAD) FULL THREAD AS PER BS 84															
DIA	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
3	124	134	153	181	249	332	-	-	-	-	-	-	-	-	-
4	187	198	217	260	282	359	405	445	514	-	-	-	-	-	-
5	253	282	305	337	392	469	554	626	699	888	-	-	-	-	-
6	-	392	418	476	556	650	762	867	1043	1183	1434	1843	2411	2782	3376
8	-	-	-	1169	1219	1362	1526	1678	1837	2289	2800	3141	3430	3780	4271
10	-	-	-	-	2199	2482	2732	2907	3277	3860	4337	4965	5429	6107	6846
12	-	-	-	-	-	5150	5501	6063	6252	7219	8056	8994	9707	10795	11965
16	-	-	-	-	-	-	12992	12315	13344	14656	16405	18191	20537	23478	25586
20	-	-	-	-	-	-	-	-	27695	29644	32575	34472	38687	41085	44590

SS304 A2 ALLEN CSK SCREW (BSW THREAD) FULL THREAD AS PER BS 2470										
DIA	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"
3/16"	956	1188	1321	1384	1750	1965	-	-	-	-
1/4"	1365	1247	1433	1568	1837	2067	2832	-	-	-
5/16"	-	2865	3125	3361	3774	4310	4974	5875	8124	9040
3/8"	-	4724	4724	4860	5734	6339	7431	8812	12478	13975
1/2"	-	-	9948	11177	14371	20056	24838	24773	28037	33314

SS304 A2 CHEESE / ROUND SLOTTED MACHINE SCREW AS PER DIN 85 (METRIC THREAD)																	
DIA	4	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
2	190	190	123	128	139	167	190	223	-	-	-	-	-	-	-	-	-
2.5	200	200	145	147	167	192	228	272	-	-	-	-	-	-	-	-	-
3	-	151	146	156	171	197	227	293	437	567	550	795	-	-	-	-	-
4	-	208	213	224	243	294	345	412	483	533	629	791	-	-	-	-	-
5	-	316	327	347	387	455	521	617	689	780	868	1024	-	-	-	-	-
6	-	-	-	544	573	672	742	888	996	1146	1275	1527	1827	2078	2358	2447	2757
8	-	-	-	-	-	1733	2029	2071	2343	2565	2888	3435	3540	3935	4310	4829	5416
10	-	-	-	-	-	-	3020	3374	3805	4233	4622	5420	6344	7359	8150	9054	9641

SHREE Steel Industries

SS304 A2 CHEESE / ROUND SLOTTED MACHINE SCREW AS PER BS 450 (BSW THREAD)										
DIA	1/4"	3/8"	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"
1/8"	163	179	197	240	307	490	624	942	-	-
5/32"	215	243	271	337	395	462	627	796	-	-
3/16"	268	329	380	467	571	674	781	980	-	-
1/4"	-	631	680	832	984	1173	1319	1686	2112	2469
5/16"	-	-	1595	1831	2082	2366	2674	3462	4163	4943
3/8"	-	-	2574	2807	3136	3901	4277	5254	6256	7779

SS304 A2 THREADED ROAD 1 MTR LENGTH (DIN 975 / BS 1083)						
DIA	M6	M8	M10	M12	M16	M20
304	14598	24387	37666	54988	100310	156944

DIA	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
304	15500	18500	30000	40800	81500	118500	172500	237000	320000

SS304 A2 COUNTERSUNK (CSK) SLOTTED MACHINE SCREW AS PER DIN 963 (METRIC THREAD)																	
DIA	4	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
2	259	167	171	178	200	228	267	-	-	-	-	-	-	-	-	-	-
2.5	202	167	167	167	202	219	267	289	-	-	-	-	-	-	-	-	-
3	-	130	126	135	162	176	233	274	416	-	-	-	-	-	-	-	-
4	-	171	172	198	207	255	307	360	442	482	594	816	-	-	-	-	-
5	-	233	254	275	306	372	448	525	617	714	796	932	-	-	-	-	-
6	-	-	-	422	453	500	609	705	832	954	1077	1339	1644	1906	2102	-	-
8	-	-	-	-	-	1398	1574	1769	2011	2244	2523	3103	3603	4094	4736	-	-
10	-	-	-	-	-	-	2442	2754	3179	3583	4014	4867	5577	6818	7640	8698	9385
12	-	-	-	-	-	-	4206	4464	4969	5315	6137	7359	8327	8762	10358	11557	12612
16	-	-	-	-	-	-	-	-	12373	11729	12709	13958	15624	17325	19559	22360	24368

SS304 A2 COUNTERSUNK (CSK) SLOTTED MACHINE SCREW AS PER DIN 450 (BSW THREAD)												
DIA	1/4"	3/8"	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"
1/8"	148	165	190	224	298	484	616	936	-	-	-	-
5/32"	185	216	249	313	389	449	602	780	-	-	-	-
3/16"	226	263	298	387	520	653	756	943	-	-	-	-
1/4"	-	478	583	697	835	1022	1155	1530	2009	2366	-	-
5/16"	-	-	1386	1641	1864	2247	2541	3252	3955	4696	-	-
3/8"	-	-	2444	2402	2716	3366	3670	4603	5483	7085	-	-
1/2"	-	-	-	-	5215	6386	7282	8953	10632	12038	13961	15954

SHREE Steel Industries

SS304 A2 PAN PHILIPS MACHINE SCREW AS PER DIN 7985 (METRIC THREAD)																	
DIA	4	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
2	127	126	119	123	134	161	183	-	-	-	-	-	-	-	-	-	-
2.5	134	134	139	145	162	188	233	-	-	-	-	-	-	-	-	-	-
3	-	137	133	142	155	179	206	266	396	514	499	721	-	-	-	-	-
4	-	189	193	203	220	267	314	374	438	484	571	717	-	-	-	-	-
5	-	286	296	315	352	412	472	560	625	708	788	928	-	-	-	-	-
6	-	-	-	493	520	609	674	806	904	1039	1157	1385	1658	1885	2139	2219	2501
8	-	-	-	-	-	1572	1840	1878	2125	2327	2619	3115	3210	3570	3909	4380	4912
10	-	-	-	-	-	-	2739	3060	3451	3839	4192	4916	5755	6676	7392	8213	8744

SS304 A2 COUNTERSUNK (CSK) PHILIPS MACHINE SCREW AS PER DIN 965 (METRIC THREAD)																	
DIA	4	6	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
2	200	161	162	170	190	218	257	-	-	-	-	-	-	-	-	-	-
2.5	195	161	162	162	192	212	250	279	-	-	-	-	-	-	-	-	-
3	-	118	114	123	146	160	211	249	378	494	-	-	-	-	-	-	-
4	-	156	156	180	187	231	278	327	401	437	539	740	-	-	-	-	-
5	-	211	230	249	277	337	407	476	560	647	722	846	-	-	-	-	-
6	-	-	-	383	411	453	552	639	755	866	977	1214	1492	1728	1906	-	-
8	-	-	-	-	-	1267	1428	1605	1823	2036	2289	2814	3268	3713	4296	-	-
10	-	-	-	-	-	-	2216	2498	2884	3249	3641	4414	5058	6184	6929	7889	8512
12	-	-	-	-	-	-	3815	4048	4506	4821	5567	6675	7553	7948	9395	10483	11439

SS304 A2 ALLEN GRUB SCREW (METRIC THREAD) AS PER DIN 916														
DIA	3	4	5	6	8	10	12	16	20	25	30	35	40	50
3	300	300	300	300	320	330	509	763	1020	-	-	-	-	-
4	300	350	350	360	370	390	440	570	650	1000	1200	1550	1600	-
5	-	-	360	360	370	400	450	576	747	1000	1640	-	2067	-
6	-	-	-	380	400	500	600	610	822	1097	1454	1869	2170	3127
8	-	-	-	-	800	840	977	1351	1738	2287	2813	3272	4323	5923
10	-	-	-	-	1200	1350	1450	1881	2393	3130	3829	4587	5033	6552
12	-	-	-	-	-	-	2322	3299	4024	5243	6544	7274	8130	9262
16	-	-	-	-	-	-	-	8049	8810	10284	12155	13735	15556	-

SS304 A2 ALLEN GRUB SCREW (BSW THREAD) AS PER BS 2470											
DIA	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1.1/4"	1.1/2"	2"
3/16"	550	560	600	630	700	-	-	-	-	-	-
1/4"	600	550	580	610	700	-	-	-	-	-	-
5/16"	-	-	900	900	1000	1100	1300	1700	2000	2600	2800
3/8"	-	-	-	1400	1500	1700	1700	1800	2200	2800	3300
1/2"	-	-	-	-	2100	2200	2500	2700	3300	3700	4000

SHREE Steel Industries

SS304 A2 BUTTON HEAD SCREW FULLY THREADED (METRIC THREAD) AS PER ISO 7380											
DIA	8	10	12	16	20	25	30	35	40	50	60
3	173	175	194	235	285	316	-	-	-	-	-
4	204	213	233	271	326	374	458	523	618	-	-
5	272	320	330	397	471	529	612	703	774	-	-
6	-	433	452	520	610	720	850	998	1093	1429	-
8	-	-	-	1161	1254	1418	1728	1926	2139	2445	2811
10	-	-	-	-	2317	2560	3007	3314	3460	3928	4692

S.S. COTTER PIN									
DIA	1/16"	3/32"	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"
1/2"	17	28	-	-	-	-	-	-	-
3/4"	22	35	60	120	-	-	-	-	-
1"	28	42	80	130	200	300	-	-	-
1.1/4"	36	52	100	140	220	360	-	-	-
1.1/2"	44	60	110	160	240	400	1000	-	-
1.3/4"	80	80	130	200	300	470	1100	1600	-
2"	90	90	140	220	320	520	1250	2000	-
2.1/2"	-	160	170	300	380	620	1550	2500	4000
3"	-	250	250	400	600	780	1700	3000	5000
3.1/2"	-	-	400	500	680	1000	2000	3500	5500
4"	-	-	550	550	800	1150	2200	4000	6000
4.1/2"	-	-	-	-	1100	1700	2400	4500	8000
5"	-	-	-	-	1500	2200	2800	5000	10000
5.1/2"	-	-	-	-	2000	2700	3300	5500	11000
6"	-	-	-	-	2600	3100	4000	6000	12000

SS316 A4 HEX SCREW FULL THREAD (METRIC THREAD) AS PER IS 1364 / DIN 933																			
DIA	10	12	16	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	100
6	553	563	631	708	785	877	969	1057	1192	1288	1426	1498	1679	1761	1914	1989	2276	2325	2552
8	-	-	1282	1423	1572	1728	1884	2055	2260	2418	2604	2744	2959	3074	3298	3484	3786	3913	4196
10	-	-	2384	2601	2836	3090	3362	3615	3854	4130	4388	4659	5016	5179	5580	5746	6171	5283	6712
12	-	-	-	3952	4235	4612	4998	5382	5626	6151	6377	6906	7118	7671	8077	8422	8688	9189	9980
14	-	-	-	-	6896	7255	7795	8225	8815	9320	9991	10338	11092	11516	12084	12662	13776	14478	14898
16	-	-	-	-	8681	9008	9642	10351	10993	11732	12424	13210	13732	14444	15017	16024	16740	17466	18771
18	-	-	-	-	-	-	-	23353	25136	26114	28279	29378	31202	32317	34146	35486	38100	38100	40216
20	-	-	-	-	-	-	-	20811	22371	23505	24421	25725	27117	28668	29900	31320	32540	33859	36313
22	-	-	-	-	-	-	-	-	-	42336	45209	48201	50125	52649	55294	57698	61965	61965	66893
24	-	-	-	-	-	-	-	-	-	38309	42524	42524	44542	46761	48666	50872	55280	55280	59837

SHREE Steel Industries

SS316 A4 HEX SCREW FULL THREAD (BSW THREAD) AS PER BS 1083												
BSW	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	3 1/2"	4"	5"	6"
1/4"	738	852	986	1141	1264	1534	1938	2242	2452	2798	-	-
5/16"	1300	1489	1708	1924	2147	2575	3021	3467	4046	5002	-	-
3/8"	2003	2286	2587	2907	3228	3861	4490	5127	5753	6393	8317	10026
1/2"	-	-	5397	5979	6502	7574	8697	9823	10930	12000	14271	16312
5/8"	-	-	9938	10226	11051	12892	14475	16993	17821	19426	24084	27704
3/4"	-	-	-	-	22620	24949	27984	31057	34101	37286	43500	49714
7/8"	-	-	-	-	-	36453	41817	46455	51584	56655	66516	76728
1"	-	-	-	-	-	40975	46193	51233	56060	62263	72229	82814

SS316 A4 LONG LENGTH HEX SCREW AS PER IS 1364 / DIN 933 (METRIC THREAD)										
DIA	110	120	125	130	140	150	160	170	180	200
8	4754	5101	5274	5524	5976	6344	-	-	-	-
10	7673	8372	8702	8950	9403	9942	-	-	-	-
12	10853	11752	12315	12916	13634	14649	15579	-	24053	28565
16	21027	22629	23373	24086	25511	27421	29308	32760	35640	38769
18	45738	47721	49595	50992	55867	57429	64509	70236	74863	84872
20	40248	43366	44694	46901	49701	52648	56529	60261	63000	-
22	76848	83657	84757	87356	92635	99710	107103	114696	119129	131342
24	64834	68861	73770	73770	82756	82756	86999	96338	96338	105230

SS316 HEX NUT AS PER IS 1363 / DIN 934 (METRIC THREAD) & LOCK NUTS																
DIA	M 2	M 2.5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27
316Q	301	312	133	168	208	300	600	1231	1940	3890	3880	8840	7428	13186	12440	27904

SS316 HEX NUT AS PER BS 1083 (BSW THREAD)												
BSW	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
316Q	265	289	258	469	668	1088	2682	2858	5151	12416	21517	28368

SS316Q A4 PLAIN WASHER																	
THICK	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24	M27	M30	M33	M36
	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"	9/16"	5/8"	-	3/4"	7/8"	1"	1.1/8"	1.1/4"	1.3/8"	1.1/2"
1.2MM	170	170	170	185	325	400	650	750	850	-	-	-	-	-	-	-	-
1.6MM	-	-	-	260	400	525	775	875	1050	1250	1555	1700	1950	-	-	-	-
2MM	-	-	-	-	475	675	925	1075	1250	1600	1800	1900	3450	3650	4100	4700	-
2.5MM	-	-	-	-	-	-	1050	1350	1600	1750	2300	2400	-	-	-	-	-
3MM	-	-	-	-	-	1100	1400	1600	1750	2050	2750	2900	4700	5000	6600	7600	9000

SS316Q A2 SPRING WASHER AS PER IS 3063 / DIN 127																	
THICK	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24	M27	M30	M33	M36
	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"	9/16"	5/8"	-	3/4"	7/8"	1"	1.1/8"	1.1/4"	1.3/8"	1.1/2"
SQUARE	125	135	150	165	240	330	550	770	900	1450	2000	2600	4150	5550	8400	11000	14500
FLAT	200	200	235	270	440	600	800	1600	1900	2500	2950	4600	7200	8300	12000	18800	21700

SHREE Steel Industries

SS316 A2 ALLEN CAP SCREW (METRIC THREAD) FULL THREAD AS PER DIN 912																		
DIA	6	8	10	12	16	20	25	30	35	40	45	50	60	70	75	80	90	100
3	672	678	679	702	765	833	977	-	-	-	-	-	-	-	-	-	-	-
4	770	722	643	653	732	795	860	1071	1197	1432	-	-	-	-	-	-	-	-
5	-	-	819	846	928	1044	1162	1283	1415	1551	1818	2020	-	-	-	-	-	-
6	-	-	1058	1078	1195	1282	1364	1521	1627	1813	1970	2078	2540	2894	3320	3754	4794	5459
8	-	-	-	2374	2075	2157	2323	2607	2781	2975	3199	3455	4345	4995	6023	6287	7603	8582
10	-	-	-	-	-	3721	4004	4155	4501	4810	5226	5416	6268	6957	7347	8330	10538	12115
12	-	-	-	-	-	-	7703	7691	8087	8602	9216	9548	10818	11728	12488	13114	14279	16667
16	-	-	-	-	-	-	-	-	16871	17814	19580	19980	23220	25637	30852	31559	34922	37932
20	-	-	-	-	-	-	-	-	-	41076	42200	43506	47540	49902	53013	55917	59096	64036

SS304 NYLOCK NUT / SELF LOCKING NUT AS PER DIN 982 / 985 (METRIC THREAD)									
DIA	M3	M4	M5	M6	M8	M10	M12	M16	M20
304	195	236	303	448	827	1508	2393	4982	23000

SS304 NYLOCK NUT / SELF LOCKING NUT (BSW THREAD)								
DIA	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"
304	1726	2516	3078	4591	7046	12032	22027	-

SS304 A2 SQUARE NUT AS PER DIN 557						SS304 SPECIAL HEX NUT				
DIA	M5	M6	M8	M10	M12	DIA	M6X6	M8X8	M10X10	M12X12
304Q	382	382	1145	2359	3377	304	743	982	1816	3209

SS304 LOCK NUT											
DIA	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24
304	115	174	329	671	981	1866	1970	4425	4425	7878	7878

SS316 LOCK NUT											
DIA	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24
316	201	232	468	962	1502	2601	3004	6111	6111	10673	10673

SS316 NYLOCK NUT / SELF LOCKING NUT (METRIC THREAD)								
DIA	M3	M4	M5	M6	M8	M10	M12	M16
316	293	354	454	672	1241	2261	3589	7474

SS304 A2 DOM NUT (METRIC THREAD) AS PER DIN 1587									
DIA	M3	M4	M5	M6	M8	M10	M12	M16	M20
304	605	627	808	1003	1738	3378	4772	10499	27200

SS304 A2 DOM NUT (BSW THREAD)							
DIA	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
304	1442	2112	2936	4378	6438	16326	29510

SHREE Steel Industries

SS316Q DOM NUT (METRIC THREAD)										
DIA	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24
316	1250	1410	1850	1990	2605	4947	6926	18860	35715	64060

SS HEAVY HEX NUT AS PER ANSI B18.2.2						
DIA	3/8"	1/2"	5/8"	3/4"	7/8"	1"
304	4209	4803	8689	14095	18903	28477
316	5063	6508	11149	17766	24753	48677

SS316 A2 THREADED ROAD 1 MTR LENGTH (DIN 975 / BS 1083)						
DIA	M6	M8	M10	M12	M16	M20
316	20582	38046	56130	84810	152836	238254

DIA	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
316	-	23500	37000	54000	102000	152000	222200	304000	415000

SS304 FLANGED NUT AS PER DIN 6923							
DIA	M3	M4	M5	M6	M8	M10	M12
304	899	674	674	759	1365	2165	3256

SS304 WELD NUT DIN 929							
DIA	M3	M4	M5	M6	M8	M10	M12
304	674	674	703	843	1517	2416	3618

SS304Q DOME BOLT									
DIA	10 mm	12 mm	16 mm	20 mm	25 mm	30 mm	35 mm	40 mm	50 mm
5	1460	1572	1797	1909	2022	2134	-	-	-
6	1966	2022	2078	2190	2303	2471	2696	3033	3370
8	-	-	3257	3426	3650	3875	4044	4268	4774

SS304 A2 SLOTTED CSK WOOD SCREW AS PER DIN 97										
DIA	20	25	30	35	40	50	60	75	90	100
No. 6	389	410	452	494	546	798	-	-	-	-
No. 8	431	483	546	662	735	1019	1260	1575	1890	2520
No. 10	693	756	830	893	945	1260	1628	2310	2520	3045
No. 12	-	-	1124	1166	1260	1680	2625	2993	3255	3938

SHREE Steel Industries

SS202 HEX SCREW FULL THREAD (METRIC THREAD) AS PER IS 1363 / DIN 933																		
DIA	10	12	16	20	25	30	35	40	45	50	55	60	65	70	75	80	90	100
3	329	327	334	349	389	728	793	856	932	936	-	-	-	-	-	-	-	-
4	289	303	315	343	395	486	563	813	900	918	-	-	-	-	-	-	-	-
5	343	366	387	430	484	563	684	831	936	970	1188	1313	1465	1503	1675	1719	-	-
6	482	512	552	613	706	811	893	997	1093	1217	1240	1365	1510	1612	1741	1798	2052	2270
8	-	-	1109	1223	1374	1516	1680	1844	2048	2229	2194	2534	2735	2920	3044	3142	3654	3806
10	-	-	2134	2315	2546	2785	3001	3218	3530	3825	3752	4299	4608	4878	5304	5420	5976	6481
12	-	-	-	3521	3723	4043	4473	4840	5165	5482	5586	6350	6822	7076	7475	7972	8675	9344
14	-	-	-	-	5846	6176	6580	6911	7589	7683	8412	8492	9291	9374	10290	10415	11623	12141
16	-	-	-	-	7624	8250	8740	9322	10095	10282	10950	11740	12801	13364	13859	14822	16082	17269
18	-	-	-	-	-	-	-	13639	14981	15274	15429	16973	18114	19063	19840	20940	22671	24323
20	-	-	-	-	-	-	-	16656	18442	18812	18439	20589	21702	22944	23931	25066	27099	29061
24	-	-	-	-	-	-	-	26166	27347	27889	29341	29696	32428	33655	35141	36706	40052	42908

SS202 HEX SCREW FULL THREAD (BSW THREAD) AS PER BS 1083												
BSW	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	3 1/2"	4"	5"	6"
1/8"	332	352	373	690	859	950	-	-	-	-	-	-
3/16"	320	365	409	467	666	829	1288	1526	-	-	-	-
1/4"	609	731	878	999	1122	1388	1689	1962	2104	2494	-	-
5/16"	1063	1211	1347	1554	1739	2108	2546	2943	3320	3725	-	-
3/8"	1766	1869	2079	2405	2653	3203	3752	4327	4903	5451	7699	9004
7/16"	-	-	4532	4933	5360	6223	7277	8135	9052	9967	12817	14650
1/2"	-	-	4300	4680	5135	6193	7243	8174	9094	10014	12637	14444
5/8"	-	-	8478	8959	9576	10899	12420	14258	15983	17529	20798	23787
3/4"	-	-	-	-	16135	18455	20700	22974	25224	27582	32178	36781

SS202 LONG LENGTH HEX SCREW (METRIC THREAD) AS PER IS 1363 / DIN 933									
DIA	110	120	125	130	140	150	160	170	180
8	4329	4777	5119	5337	5709	6164	-	-	-
10	7163	7759	8103	8394	9022	9550	-	-	-
12	10422	11193	11697	11998	12822	13683	15722	-	-
16	18771	19915	20523	21131	22465	23732	23698	26085	28111
20	31138	31218	32262	35307	36347	37388	39088	41127	42997
24	45809	48893	50463	52033	54990	58107	-	-	-

SS202 HEX NUT AS PER IS 1369 / DIN 934 (METRIC THREAD) & LOCK NUT IS 1363 / DIN 439													
DIA	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24
202Q	94	120	146	244	463	1066	1612	3037	3468	6344	6968	10972	13000

SS202 HEX NUT AS PER BS 1083 (BSW THREAD) & LOCK NUT BS 1083									
BSW	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
202Q	156	302	494	868	2314	4186	8088	13520	17160

SHREE Steel Industries

SS202 PAN PHILIPS MACHINE SCREW (METRIC THREAD)													
DIA	4	5	6	8	10	12	16	20	25	30	35	40	50
2	257	257	209	217	235	236	276	331	-	-	-	-	-
2.5	-	254	228	235	254	254	302	352	422	-	-	-	-
3	-	-	162	170	175	199	226	281	339	460	574	658	-
4	-	-	239	253	267	300	327	365	427	483	586	747	893
5	-	-	346	376	405	433	493	569	670	711	814	915	1075
6	-	-	-	-	675	705	806	856	947	1103	1234	1377	1590

SS202 COUNTERSUNK (CSK) PHILIPS MACHINE SCREW (METRIC THREAD)													
DIA	4	5	6	8	10	12	16	20	25	30	35	40	50
2	274	274	226	228	244	248	288	341	-	-	-	-	-
2.5	-	244	219	225	242	248	288	344	416	-	-	-	-
3	-	-	153	157	170	184	217	264	319	453	561	-	-
4	-	-	196	219	225	267	303	331	383	454	542	656	-
5	-	-	-	302	323	369	422	480	601	760	747	860	1121
6	-	-	-	554	574	602	698	755	898	946	1092	1335	1693

SS202 ALLEN CSK CAP SCREW (METRIC THREAD)															
DIA	8	10	12	16	20	25	30	35	40	50	60	70	80	90	100
3	186	193	215	250	401	512	-	-	-	-	-	-	-	-	-
4	250	261	278	328	374	430	541	621	704	-	-	-	-	-	-
5	341	354	381	446	512	594	655	797	940	1236	-	-	-	-	-
6	-	578	618	673	744	844	964	1088	1330	1621	-	-	-	-	-
8	-	-	-	1533	1590	1753	1951	2128	2315	2841	3455	3944	4314	4723	5312
10	-	-	-	-	2837	3154	3433	3672	4085	4758	5312	6036	6597	7460	8372

SS202 ALLEN CAP SCREW FULL THREAD (METRIC THREAD) AS PER DIN 912																		
DIA	6	8	10	12	16	20	25	30	35	40	45	50	60	70	75	80	90	100
3	419	419	419	419	483	511	592	-	-	-	-	-	-	-	-	-	-	-
4	542	518	453	467	542	568	606	743	858	1003	-	-	-	-	-	-	-	-
5	-	-	594	626	649	735	813	900	969	1060	1234	1315	-	-	-	-	-	-
6	-	-	745	764	811	906	976	1073	1156	1303	1438	1462	1765	-	-	-	-	-
8	-	-	-	1724	1634	1723	1873	2103	2218	2369	2652	2734	3876	4473	5103	5339	-	-
10	-	-	-	-	-	3505	3388	3648	3891	4078	4551	4751	5618	6225	7343	7722	8938	10194
12	-	-	-	-	-	-	5531	5590	5897	6297	6938	7045	8031	8707	9710	9966	10872	12770
16	-	-	-	-	-	-	-	-	12248	12814	14185	14464	16691	18375	20894	21804	24699	26761

SHREE Steel Industries

SS202 ALLEN CAP SCREW FULL THREAD (BSW THREAD) AS PER 2470										
DIA	1/2"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"
3/16"	861	935	1008	1118	1309	-	-	-	-	-
1/4"	1055	1099	1196	1330	1538	1825	2382	3129	-	-
5/16"	1815	1815	1880	2210	2350	2783	3697	4436	-	-
3/8"	-	2801	2729	3049	3451	4184	5070	6102	7302	7773
1/2"	-	-	-	7113	7818	8850	10496	11644	14345	16327

SS202 COUNTERSUNK (CSK) SLOTTED MACHINE SCREW (METRIC THREAD)																		
DIA	4	5	6	8	10	12	15	20	25	30	35	40	50	60	70	80	90	100
2	128	94	97	97	99	109	114	-	-	-	-	-	-	-	-	-	-	-
2.5	134	103	103	105	106	119	124	138	184	-	-	-	-	-	-	-	-	-
3	-	-	119	122	115	138	152	203	218	337	502	-	-	-	-	-	-	-
4	-	-	177	181	173	201	212	254	301	349	416	538	713	-	-	-	-	-
5	-	-	259	266	253	297	319	367	416	515	596	744	898	-	-	-	-	-
6	-	-	-	-	416	471	489	579	641	746	833	937	1150	1497	1896	2061	-	-
8	-	-	-	-	-	-	1260	1376	1533	1693	1848	2010	2377	2718	3096	3427	-	-
10	-	-	-	-	-	-	-	2005	2310	2604	2894	3203	3727	4181	4765	5264	5886	6404
12	-	-	-	-	-	-	-	3686	3919	4382	4720	5215	5960	6704	7031	8273	9291	10269

SS202 COUNTERSUNK (CSK) SLOTTED MACHINE SCREW (BSW THREAD)														
DIA	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"	3.1/2"	4"
1/8"	119	128	127	144	175	191	242	420	581	837	-	-	-	-
5/32"	170	173	164	187	228	253	312	372	583	757	-	-	-	-
3/16"	231	228	208	230	268	288	384	493	626	801	-	-	-	-
1/4"	-	-	407	505	568	587	688	842	974	1218	2001	2366	-	-
5/16"	-	-	-	1213	1369	1416	1571	1913	2082	2471	2940	3387	-	-
3/8"	-	-	-	1886	1960	1881	2105	2281	2642	3192	3739	4406	-	-
1/2"	-	-	-	-	-	-	3323	3827	4301	5228	6443	7450	8400	9413

SS202 CHEESE / ROUND SLOTTED MACHINE SCREW (METRIC THREAD)																		
DIA	4	5	6	8	10	12	15	20	25	30	35	40	50	60	70	80	90	100
2	134	99	103	103	104	115	121	-	-	-	-	-	-	-	-	-	-	-
2.5	140	106	106	109	112	125	130	147	193	-	-	-	-	-	-	-	-	-
3	-	-	125	134	134	158	171	199	237	357	454	597	880	-	-	-	-	-
4	-	-	202	209	201	232	248	290	349	408	464	590	703	-	-	-	-	-
5	-	-	301	322	319	371	395	434	493	580	657	811	982	-	-	-	-	-
6	-	-	-	-	505	586	617	661	769	851	959	1047	1253	1514	1983	2230	2539	2882
8	-	-	-	-	-	-	1490	1727	1743	1923	2061	2254	2573	2940	3288	3640	4118	4541
10	-	-	-	-	-	-	-	2439	2771	3059	3355	3615	4063	4683	5032	5448	5932	6341

SHREE Steel Industries

SS202 CHEESE / ROUND SLOTTED MACHINE SCREW (BSW THREAD)												
DIA	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1.1/4"	1.1/2"	2"	2.1/2"	3"
1/8"	127	135	135	152	187	206	253	428	590	846	-	-
5/32"	196	200	188	208	252	276	320	388	609	777	-	-
3/16"	263	275	263	300	340	356	427	511	648	831	-	-
1/4"	-	-	541	592	674	703	816	974	1117	1355	2068	2436
5/16"	-	-	-	1328	1473	1504	1672	1913	2082	2503	2940	3387
3/8"	-	-	-	1886	2081	2116	2340	2582	2991	3538	4151	4677

SS202Q PLAIN WASHER									
THICK	M4	M5	M6	M8	M10	M12	M16	M20	M24
1MM	88	91	103	183	257	364	596	859	-
1.2MM	-	-	199	266	449	480	727	1190	1487
1.6MM	-	-	-	364	718	752	1133	1860	2348
2MM	-	-	-	535	718	752	1133	1860	2348
2.5MM	-	-	-	811	876	911	1355	2232	2838

SS202Q SPRING WASHER									
BSW	M4	M5	M6	M8	M10	M12	M16	M20	M24
SQUARE	152	152	179	255	349	483	619	1096	1822
FLAT	3396	404	445	547	801	1607	2481	3646	5729